


Miniature Fuses

Very HRC Fuses 6x32
SA Medium Time Lag
400V from 0.04 to 10A



Dimensions



Product weight: 2.5g max.

Packaging: Blister per 50 pieces. For a 500 pieces box packaging consult us

Size	Catalog Number	Reference Number	Rated Voltage (V)	Nominal Current (A)	Breaking capacity @ Nominal current (A)	Pre-arcing I ² t @ Rated voltage (A ² s)	Clearing I ² t @ Rated Voltage (A ² s)	Max. voltage drop (V)
6.3x32	MI6SA40V0.04	H078897	400	0.04	-	-	-	-
6.3x32	MI6SA40V0.05	J078898	400	0.05	-	-	-	-
6.3x32	MI6SA40V0.063	K078899	400	0.063	-	-	-	-
6.3x32	MI6SA40V0.08	L078900	400	0.08	-	-	-	-
6.3x32	MI6SA40V0.1	M078901	400	0.100	Cos $\mu \geq 0.2^*$	0.00077	0.0021	2
6.3x32	MI6SA40V0.125	N078902	400	0.125	Cos $\mu \geq 0.2^*$	0.002	0.0037	1.5
6.3x32	MI6SA40V0.16	P078903	400	0.16	Cos $\mu \geq 0.2^*$	0.0046	0.013	1.3
6.3x32	MI6SA40V0.2	Q078904	400	0.2	Cos $\mu \geq 0.2^*$	0.009	0.025	1.2
6.3x32	MI6SA40V0.25	R078905	400	0.25	Cos $\mu \geq 0.2^*$	0.016	0.045	1.1
6.3x32	MI6SA40V0.315	S078906	400	0.315	Cos $\mu \geq 0.2^*$	0.03	0.085	1
6.3x32	MI6SA40V0.4	D094418	400	0.4	Cos $\mu \geq 0.2^*$	0.05	0.15	1
6.3x32	MI6SA40V0.5	T078907	400	0.5	Cos $\mu \geq 0.2^*$	0.12	0.35	0.8
6.3x32	MI6SA40V0.63	V078908	400	0.63	Cos $\mu \geq 0.2^*$	0.11	0.25	0.4
6.3x32	MI6SA40V0.8	W078909	400	0.8	Cos $\mu \geq 0.2^*$	0.17	0.38	0.4
6.3x32	MI6SA40V1	X078910	400	1	Cos $\mu \geq 0.2^*$	0.26	0.6	0.4
6.3x32	MI6SA40V1.25	Y078911	400	1.25	Cos $\mu \geq 0.2^*$	0.55	1.2	0.35
6.3x32	MI6SA40V1.6	S095029	400	1.6	Cos $\mu \geq 0.2^*$	1.44	3.2	0.26
6.3x32	MI6SA40V2	M078993	400	2	Cos $\mu \geq 0.2^*$	2.46	5.5	0.25
6.3x32	MI6SA40V2.5	Z078912	400	2.5	Cos $\mu \geq 0.2^*$	4.6	10	0.23
6.3x32	MI6SA40V3.15	M098244	400	3.15	Cos $\mu \geq 0.2^*$	11	25	0.16
6.3x32	MI6SA40V4	R098248	400	4	Cos $\mu \geq 0.2^*$	23	50	0.16
6.3x32	MI6SA40V5	S098249	400	5	Cos $\mu \geq 0.2^*$	15.7	70	0.14
6.3x32	MI6SA40V6.3	A099107	400	6.3	Cos $\mu \geq 0.2^*$	28	120	0.14
6.3x32	MI6SA40V8	C098258	400	8	Cos $\mu \geq 0.2^*$	35.4	155	0.12
6.3x32	MI6SA40V10	B095037	400	10	Cos $\mu \geq 0.2^*$	52.9	230	0.12

*50kA 400VAC Cos $\mu \geq 0.2$



Shah & Shah Enterprise




www.shahent.co.in

Miniature Fuses

Very HRC Fuses 6x32
SA Medium Time Lag
400V from 0.04 to 10A



Time Current Curves



I margin $\pm 12\%$. Actual prearcing time(s). R.M.S. Value of prearcing current (A).



Shah & Shah Enterprise

www.shahent.co.in